

# Solutions Overview Guide


## Meeting Room Solution: Medium Conference Room - Seat Count: 6-8





Bring the Zoom Rooms experience to your medium sized high-impact rooms with Q-SYS. Our extensive portfolio of Zoom Certified devices enables designing to the needs of the room, including loudspeaker options for in-ceiling, open ceiling, and directional audio requirements. In addition to audio processing, the Q-SYS Core Processor supports multi camera switching, automation, and room control.

- The Q-SYS Core 8 Flex Processor is the hub of the system. It connects to the Zoom Rooms Compute with a single driverless USB connection for audio and video.
- The Certified Zoom Rooms sample design provides certified audio settings for Zoom Rooms, including advanced configurable acoustic echo cancellation (AEC) and noise reduction delivering echo free audio even in the most challenging rooms.
- Q-SYS NC-12x80, network PTZ camera, use the power of the network allowing you to use as many Q-SYS network conference cameras in the space providing multiple points of view to frame the right shot.
- AcousticDesign™ Series AD-C4T ceiling loudspeakers are ideal for overhead loudspeaker placement for in-ceiling and open ceiling applications respectively.
- Audio-Technica ATND1061 networked beamforming ceiling array microphone is perfect for rooms where the flexibility of a ceiling mounted microphone is necessary.

### In-ceiling microphone and loudspeakers

A traditional meeting spaces with a standard ceiling height and a desire to keep the table top clear.



Product	Quantity	
<a href="#">Q-SYS Core 8 Flex processor</a>	1	
<a href="#">Q-SYS NS10-125+ network switch</a>	1	
<a href="#">Q-SYS NC-12x80 network camera</a>	1	
<a href="#">Audio-Technica ATND1061 ceiling microphone</a>	1	
<a href="#">AD-C4T ceiling loudspeaker</a>	2	